

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2998	((file or record or document or format) with convert\$5).ab. and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/04/12 14:10
S2	146	((file or record or document) with format with convert\$5).ab. and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/17 18:48
S3	31	(input and ((file or record or document) with format with convert\$5)).ab. and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/17 18:38
S4	35	(input and ((file or record or document) with format with (convert\$5 or translat\$3))).ab. and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/17 18:48
S5	183	((file or record or document) with format with (convert\$5 or translat\$3)).ab. and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/17 18:48
S6	8	((input and ((file or record or document) with format with (convert\$5 or translat\$3))).ab. and (@ad<"20000825")) and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/17 18:48
S7	1	"6191807".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/24 11:22
S8	647	Dodds.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/24 11:23
S9	1	"20020026450"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/10/04 18:59
S10	87	(form with overlay with function) and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/08/31 21:32
S11	41	((convert\$3 or format\$5) with (file or record or page)) and (form with overlay with function) and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/08/31 21:27
S12	1	"4903229".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/19 22:31
S13	346	((convert\$3 or overlay\$3 or populat\$3) with (file or record or document) with format\$5) and drag\$5 and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/19 22:33

S14	9337	((convert\$3 or overlay\$3 or populat\$3 or chang\$3 or merg\$3) with (file or record or document) with (format\$5 or form\$3)) and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/20 07:26
S15	33	((convert\$3 or overlay\$3 or populat\$3 or chang\$3 or merg\$3) with (file or record or document) with (format\$5 or form\$3 or field)) and (form with overlay\$3) and drag\$3 and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/20 07:28
S16	125	((convert\$3 or overlay\$3 or populat\$3 or chang\$3 or merg\$3) with (file or record or document) with (format\$5 or form\$3 or field)) and form and overlay\$3 and drag\$3 and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/20 09:01
S17	141	((convert\$3 or overlay\$3 or populat\$3 or chang\$3 or merg\$3) with (file or record or document) with (format\$5 or form\$3 or field)) and drag\$3 and ((specify\$3 or choos\$3 or pick\$3) with (format\$5 or form)) and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/20 09:25
S18	151	((convert\$3 or overlay\$3 or populat\$3 or chang\$3 or merg\$3) with (file or record or document) with (format\$5 or form\$3 or field)) and ((specify\$3 or choos\$3 or pick\$3) with (format\$5 or form)) and form and (overlay\$3 or (over adj lay\$3)) and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/20 09:20
S19	26	((convert\$3 or overlay\$3 or populat\$3 or chang\$3 or merg\$3) with (file or record or document) with (format\$5 or form\$3 or field)) and ((specify\$3 or choos\$3 or pick\$3) with (format\$5 or form)) and drag\$5 and form and (overlay\$3 or (over adj lay\$3)) and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/20 09:21
S20	312	((convert\$3 or overlay\$3 or populat\$3 or chang\$3 or merg\$3) with (file or record or document) with (format\$5 or form\$3 or field)) and drag\$3 and ((specify\$3 or choos\$3 or pick\$3 or list or plural\$7) with (format\$5 or form)) and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/02/20 09:26

S21	1563	((convert\$3 or format\$5 or translat\$3) with (documeent or file or record or page) with (common or fix\$3 or "another" or "other") with (format or type)) and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/08/31 21:30
S22	14	((convert\$3 or format\$5 or translat\$3) with (documeent or file or record or page) with (common or fix\$3 or "another" or "other") with (format or type)) same (drag\$5 or drop\$5)) and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/08/31 21:31
S23	2441	form near3 overlay	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/08/31 21:32
S24	13	((convert\$3 or format\$5 or translat\$3) with (documeent or file or record or page) with (common or fix\$3 or "another" or "other") with (format or type)) and (@ad<"20000825")) and (form near3 overlay)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/08/31 21:32
S25	63	((select\$3 or drag\$5 or drop\$5) near3 (format or template) near3 file) with (data adj2 file)) and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/04/12 14:13
S26	1	((drag\$5 or drop\$5) near3 (format or template) near3 file) with (data adj2 file)) and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 12:35
S27	101	((drag\$5 or drop\$5) near3 (format or template)) with (data or file or document)) and (@ad<"20000825")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 12:35